


Head Type	Dome Head
Material(Body/Mandrel)	AL Alloy / Carbon Steel
Finish(Body/Mandrel)	Polished / Zinc Plate



**H** = Head Diameter  
**T** = Head Thickness  
**M** = Length  
**D** = Rivet Diameter

\*Dimensions in millimeters

Part Number		Rivet Diameter (D) nom.	Hole Size +0.1	Length (M) max.	Grip Range	Head Diameter (H) max.	Head Thickness (T) max.	Standard Strength (kN) typ.	
								Shear	Tensile
BHMDAP-032060		3.2	3.3	6.0	0.5~3.0	6.6	1.3	0.5	0.7
BHMDAP-032080				8.0	1.0~4.8				
BHMDAP-032110				11.0	1.0~6.0				
BHMDAP-032130				13.0	3.0~8.0				
BHMDAP-032160				16.0	3.0~11.0				
BHMDAP-040080		4.0	4.1	8.0	1.0~4.0	8.2	1.5	0.8	1.5
BHMDAP-040110				11.0	1.0~6.0				
BHMDAP-040130				13.0	3.0~9.0				
BHMDAP-040160				16.0	5.0~11.0				
BHMDAP-040200				20.0	5.0~14.0				
BHMDAP-048080		4.8	4.9	8.0	1.0~3.6	9.9	1.7	1.4	2.0
BHMDAP-048110				11.0	1.0~6.0				
BHMDAP-048130				13.0	3.0~8.0				
BHMDAP-048160				16.0	3.0~11.0				
BHMDAP-048200				20.0	5.0~15.0				
BHMDAP-048220				22.0	6.0~17.0				
BHMDAP-048250				25.0	6.0~20.0				
BHMDAP-064130		6.3~6.5	6.6~6.8	13.0	1.6~4.8	13.2	2.8	2.5	3.0
BHMDAP-064250				25.0	4.0~17.0				



